FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: Navitrol Landscape and Aquatic Herbicide

1. PRODUCT AND COMPANY IDENTIFICATION

Supplier REVISION DATE: **Applied Biochemists (WI)** SUPERCEDES:

W175 N11163 Stonewood Drive,

Suite 234

Germantown, WI, 53022

United States

Telephone: +12622554449 Telefax: +12622554268

Web: www.appliedbiochemists.com

REVISION DATE: 10/23/2012 SUPERCEDES: 11/15/2011

MSDS Number: 000000012769

SYNONYMS:

CHEMICAL FAMILY: None

DESCRIPTION / USE None established FORMULA: None established

Manufacturer

Advantis Technologies 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America

2. HAZARDS IDENTIFICATION

OSHA Hazard
Classification:

Corrosive to eyes., Mild skin irritant, Possible skin sensitizer

Routes of Entry: Inhalation, skin, eyes, ingestion
Chemical Interactions: No known or reported interactions.
Medical Conditions Aggravated: Respiratory disorders, Skin disorders

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 1 of 12

Human Threshold Response Data

Odor Threshold Not established for product.

Not established for product. Irritation Threshold

Hazardous Materials Identification System / National Fire Protection Association Classifications

Hazard Ratings:	<u>Health</u>	<u>Flammability</u>	Physical / Instability	PPI / Special hazard.
HMIS	3	1	0	
NFPA	3	1	0	

Immediate (Acute) Health Effects

Inhalation Toxicity: Not expected to be toxic by inhalation. Not expected to be an inhalation

> hazard at ambient conditions. Inhalation of mist or vapor may cause irritation to the mucous membranes of the respiratory tract. Any irritation

would be transient with no permanent damage expected.

Skin Toxicity: Not expected to be toxic from dermal contact. Skin contact may cause

mild reversible irritation consisting of transient redness. This irritant

effect would not be expected to result in permanent damage.

Corrosive. Burns can occur following exposure. Direct contact may Eye Toxicity:

cause impairment of vision, corneal damage and/or blindness. Rinsing

of the eye should take place immediately.

Ingestion Toxicity: Harmful if swallowed. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhoea.

Acute Target Organ Toxicity: Corrosive to eyes, May cause mild skin irritation. Ingestion may cause

mild gastrointestinal discomfort., Inhalation of mist or vapor may cause

irritation to the mucous membranes of the respiratory tract.

Prolonged (Chronic) Health Effects

This product is not known or reported to be carcinogenic by any Carcinogenicity:

> reference source including IARC, OSHA, NTP or EPA. This product contains a component that has been classified by the U.S. EPA as a

"Group D" Carcinogen.

No reproductive or developmental risk to humans is expected from Reproductive and **Developmental Toxicity:**

exposure to this product. The active ingredient in this product has been

tested in laboratory animals and no evidence of teratogenicity or

fetotoxicity was seen.

Inhalation: There are no known or reported effects from chronic exposure.

Skin Contact: There are no known or reported effects from chronic exposure except for

effects (if any) similar to those experienced from acute exposure.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 2 of 12 Skin Absorption: May cause kidney and liver damage based on animal data.

Ingestion: There are no known or reported effects from chronic ingestion except for

effects similar to those experienced from single exposure.

Eye Contact: Prolonged contact may result in permanent damage.

Sensitization: May cause allergic skin sensitization in some individuals.

Chronic Target Organ Toxicity: There are no known or reported effects to humans from repeated

exposure to this product.

Supplemental Health Hazard

Information:

No additional health information available.

3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME	CAS#		% RANGE
triclopyr, triethylamine salt	57213-69-1	>=	
ETHANAMINE, N,N-DIETHYL-	121-44-8	>=	
EDTA	60-00-4	>=	<= 5
Citric Acid	77-92-9	>=	<= 5

4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 3 of 12

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment

MATERIAL

SAFETY

SHEET

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): Combustible

Flammable Properties

Ingestion:

Flash Point: > 99 °C

closed cup

Fire / Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a flash fire. Vapors are heavier than air and may travel to a source of ignition and flash back. Closed containers may explode (due to the build up of steam

pressure) when exposed to extreme heat.

Extinguishing Media: Alcohol-resistant foam Dry powder Carbon dioxide (CO2)

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal

protective equipment recommended in Section 8 to include a NIOSH

approved self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak. Vapors may be

suppressed by the use of water fog.

Water Release: This material is soluble in water. If the product contaminates rivers

and lakes or drains inform respective authorities.

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 4 of 12

Additional Spill Information: Prevent further leakage or spillage if safe to do so. Evacuate

personnel to safe areas. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. Remove all sources of ignition.

7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing.

Upon contact with skin or eyes, wash off with water. Avoid breathing

mist or vapor.

Storage: Store in a cool dry ventilated location, away from sources of ignition

or other incompatible conditions and chemicals. Keep container(s)

closed. Keep from freezing.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved full-face or half-face respirator in combination with chemical goggles., A NIOSH approved full-face air purifying respirator with organic vapor cartridge. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed

ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves When exposure to high

concentrations are prolonged or repeated use protective boots and apron in

addition to gloves.

Eye Protection: Use chemical goggles.

Protective Clothing Type: Impervious

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

Exposure Limit Data

CHEMICAL NAME CAS # Name of Limit Exposure

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 5 of 12

ETHANAMINE, N,N-DIETHYL- 121-44-8 ACGIH 1 ppm TWA

ETHANAMINE, N,N-DIETHYL- 121-44-8 ACGIH 3 ppm STEL

ETHANAMINE, N,N-DIETHYL- 121-44-8 OSHA Z1 25 ppm TWA 100 mg/m3 TWA

ETHANAMINE, N,N-DIETHYL- 121-44-8 NIOSH-IDLH 200 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

Specific Gravity: 1.16 20 °C

pH: 8.5 - 9.0

Boiling Point:

not applicable

Freezing Point:

no data available

no data available

Melting Point:

Bulk Density:

Density:

no data available not applicable 1,160 kg/m3

Vapor Pressure:

Vapor Density:

Viscosity:

Solubility in Water:

Partition coefficient n
no data available
no data available
soluble in cold water
not applicable

octanol/water: Evaporation Rate: Oxidizing:

Oxidizing:
Volatiles, % by vol.:
VOC Content
HAP Content
None established
no data available
no data available
Not applicable

10. STABILITY AND REACTIVITY

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 6 of 12

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks., Avoid freezing.

Chemical Incompatibility: Strong oxidizing agents, Strong acids and strong bases Hazardous Decomposition Products: Hydrogen chloride, Oxides of nitrogen, Phosgene

Decomposition Temperature: No data

11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

triclopyr, triethylamine salt LD50 = 1,847 mg/kg rat ETHANAMINE, N,N- LD50 = 460 mg/kg rat

DIETHYL-

EDTA LD50 > 2,000 mg/kg rat LD50 = 3,000 mg/kg rat

Component Animal Toxicology

Dermal LD50 value:

triclopyr, triethylamine salt LD50 > 2,000 mg/kg rabbit ETHANAMINE, N,N- LD50 = 416 - 420 mg/kg rabbit

DIETHYL-

EDTA no data available

Citric Acid LD50 Believed to be > 2,000 mg/kg rabbit

Component Animal Toxicology

Inhalation LC50 value:

triclopyr, triethylamine salt LC50~4~h~> 2.6~MG/L~rat ETHANAMINE, N,N- LC50~1~h~= 14.47~MG/L~rat

DIETHYL-

EDTA no data available
Citric Acid no data available

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be approximately 3,200 mg/kg rat

<u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg rabbit Inhalation LC50 LC50 1 h Believed to be > 20 mg/l rat

value:

Skin Irritation: May cause mild skin irritation.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 7 of 12

Eye Irritation: This material is expected to be corrosive.

Skin Sensitization: May cause allergic skin sensitization in some individuals.

Acute Toxicity: Corrosive to eyesMay cause mild skin irritation. Ingestion may cause mild

gastrointestinal discomfort. Inhalation of mist or vapor may cause irritation to the

mucous membranes of the respiratory tract.

Subchronic / Chronic

Toxicity:

Not known or reported to cause subchronic or chronic toxicity.

Reproductive and No reproductive and Developmental Toxicity: to this

No reproductive or developmental risk to humans is expected from exposure to this product. The active ingredient in this product has been tested in

laboratory animals and no evidence of teratogenicity or fetotoxicity was

seen.

triclopyr, triethylamine salt

This chemical has been tested in laboratory animals

and no evidence of teratogenicity, embryotoxicity or

fetotoxicity was seen.

Citric Acid This chemical has been tested in laboratory animals

and there was no evidence of reproductive toxicity or

teratogenicity.

Mutagenicity: Not known or reported to be mutagenic. The active ingredient in this product

has been tested in a battery of mutagenicity assays and was found to be

non-mutagenic under the conditions of the tests.

triclopyr, triethylamine salt

This material has been shown to be non-mutagenic in

the majority of a battery of assays. Not expected to be a

mutagenic hazard.

ETHANAMINE, N,N-DIETHYL- This product was determined to be non-mutagenic in

the Ames assay.

Citric Acid This product was determined to be non-mutagenic in

the Ames assay. It was also shown to be negative in

the Dominant lethal assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA. This product contains a component that has been classified by the U.S. EPA as a "Group D"

Carcinogen.

triclopyr, triethylamine salt

The carcinogenicity has been evaluated through animal

study and it was found not to be carcinogenic., This product is classified by the U.S. EPA as a "Group D"

Carcinogen.

Citric Acid The carcinogenicity has been evaluated through animal

study and it was found not to be carcinogenic.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 8 of 12

12. ECOLOGICAL INFORMATION

Overview: Practically non- toxic to fish and other aquatic organisms., Highly / very toxic to

plants.

Ecological Toxicity Values for: triclopyr, triethylamine salt

Oncorhynchus mykiss (rainbow - flow-through test 96 h LC50 = 240 mg/l

trout)

Lepomis macrochirus (Bluegill - flow-through test 96 h LC50 = 471 mg/l

sunfish)

Pimephales promelas (fathead - flow-through test 96 h LC50 = 120 mg/l

minnow)

Coho salmon - static test 96 h LC50 = 463 mg/l

Daphnia magna (Water flea) - Immobilization 48 h EC50= 1,496 mg/l
Daphnia magna (Water flea) - static test 48 h LC50= 1,170 mg/l

Colinus virginianus (Bobwhite quail) - static test 48 h LC50= 1,170 mg/l
- 8 day dietary LC50 > 10,000 ppm
- 8 day dietary LC50 > 10,000 ppm
- 8 day dietary LC50 > 10,000 ppm

Anas platyrhynchos (Mallard duck) - Oral LD50 = 2,055 mg/kg

Ecological Toxicity Values for: ETHANAMINE, N,N-DIETHYL-

Pimephales promelas (fathead - static test 96 h LC50 = 43.7 mg/l

minnow)

Daphnia magna (Water flea) - 48 h EC50= 200 mg/l

Ecological Toxicity Values for: Citric Acid

Lepomis macrochirus (Bluegill - (static). 96 h LC50 = 1,516 mg/l

sunfish)

Daphnia magna (Water flea) - 72 h EC50Approximately 120 mg/l

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 9 of 12

13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it

listed as a hazardous waste under Subpart D.

Disposal Methods: As a nonhazardous liquid waste, it should be disposed of in

accordance with local, state and federal regulations.

14. TRANSPORT INFORMATION

Land (US DOT): Not Regulated NOT REGULATED AS A DOT HAZARDOUS MATERIAL Water (IMDG): NOT REGULATED AS A HAZARDOUS MATERIAL, Marine Pollutant:

No

Air (IATA): NOT REGULATED AS A HAZARDOUS MATERIAL.

Emergency Response Guide Number: Not applicable

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA): This is an EPA registered pesticide.

EPA Pesticide Registration Number: None established

FIFRA Listing of Pesticide Chemicals Not registered in the US under FIFRA.

(40 CFR 180):

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health Immediate (Acute) Health Hazard

Physical None

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 10 of 12

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

ZUS_SAR302 TPQ (threshold planning

None established

quantity)

Reportable Quantity (49 CFR 172.101, Appendix):

ZUS_CERCLA Reportable quantity None established ZUS_SAR302 Reportable quantity None established

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

ZUS_SAR313 De minimis concentration None established

Clean Air Act Toxic ARP Section 112r:

CAA 112R None established

Clean Air Act Socmi:

HON SOC None established

Clean Air Act VOC Section 111:

CAA 111 None established

Clean Air Act Haz. Air Pollutants Section 112: ZUS_CAAHAP None established

ZUS CAAHRP None established

CAA AP None established

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:

CAS # COMPONENT NAME

ZUSPA_RTK None established

New Jersey:

CAS # COMPONENT NAME

ZUSNJ RTK None established

ZOONO_IVIIV

Massachusetts:

CAS # COMPONENT NAME

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 11 of 12

ZUSMA_RTK None established

California Proposition 65:

CAS # COMPONENT NAME

ZUSCA_P65 None established

WHMIS Hazard Classification:

None established

16. OTHER INFORMATION

MSDS REVISION STATUS : SECTIONS REVISED: 1

Major References: Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

Navitrol Landscape and Aquatic Herbicide

REVISION DATE: 10/23/2012 Page 12 of 12