

## SAFETY DATA SHEET

Issue Date 02-May-2013 Revision Date 03-May-2013 Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Copper Sulfate Pentahydrate

Other Means of Identification

**SDS #** OBC-007

UN/ID No UN3077

Synonyms Blue Vitrol, Bluestone, Cupric Sulfate

Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** For industrial use.

Details of the Supplier of the Safety Data Sheet

**Manufacturer Address** 

Old Bridge Chemicals, Inc. 554 Waterworks Rd. Old Bridge, NJ 08857

**Emergency Telephone Number** 

Company Phone Number (732) 727-2225 (normal business hours)

(800) 275-3924 (24 hour number)

Emergency Telephone Chemtrec 1-800-424-9300 (North America) 1-703-527-3887 (International)

## 2. HAZARDS IDENTIFICATION

#### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4

# Signal Word Warning

#### **Hazard Statements**

Harmful if swallowed Harmful in contact with skin



**Appearance** Transparent blue crystals or blue powder

Physical State Solid

**Odor** Odorless

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing

#### **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Blue Vitrol, Bluestone, Cupric Sulfate.

Chemical Name	CAS No	Weight-%
Copper sulfate pentahydrate	7758-99-8	100

## 4. FIRST AID MEASURES

### First Aid Measures

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash

it before reuse. Call a POISON CENTER or doctor/physician if you feel unwell.

**Inhalation** Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Promptly drink large quantities of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Never give anything by

mouth to an unconscious person. Avoid alcohol.

## Most Important Symptoms and Effects. both Acute and Delayed

Symptoms Causes skin irritation. Repeated or prolonged contact may cause allergic dermatitis. May

cause irritation or burns on wet skin. May cause eye irritation. Irritates the digestive tract. Abdominal discomfort. Inhalation of dust can result in irritation of nasal mucous membranes and sometimes of the pharynx. On occasion ulceration with perforation of the nasal

septum.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically. Material r

Treat symptomatically. Material may be corrosive. Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be necessary. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, epigastria pain, diarrhea, jaundice, and general debility.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry chemical, CO2 or water spray. Copper Sulfate does not burn nor will it support combustion.

Unsuitable Extinguishing Media If dry heated above 600 °C/ 1112 °F, SO2 is evolved. If water is used it will solubilize the

Copper Sulfate and care should be taken to keep such water out of streams or other bodies

of water.

#### Specific Hazards Arising from the Chemical

Not determined.

**Hazardous Combustion Products** If heated above 400°C/752°F product can decompose to emit toxic fumes of oxide and sulfur.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions. Protective Equipment and Emergency Procedures

**Personal Precautions**Use personal protective equipment as required.

#### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Avoid the generation of dusts during clean-up. Wear NIOSH or MSHA approved respirator if

dust will be generated. Dry sweep up, using a sweeping compound. Shovel spill material into plastic bags and seal with tape. Place in appropriate containers for disposal. Dispose of contents/container to an approved waste disposal plant. Prevent run off to storm sewers

and ditches leading to natural waterways.

## 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Advice on Safe Handling

Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Wear protective gloves/protective clothing. Wash outside of gloves before removing. Wash and change into clean clothing as soon as possible.

\_\_\_\_\_

#### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Store away from reducing agents. Keep away from galvanized pipe, aluminum and nylon. Store in original containers. Place damaged containers in plastic bags. Iron and moisture

should be avoided. With exposure to air it will oxidize and turn whitish.

Packaging Materials Solutions are mildly corrosive to steel. Store in plastic or rubber or 304, 347 or 316 stainless

steel.

Incompatible Materials Aluminum powders. Acetylene. Hydroxylamine. Magnesium. Moisture. Contact with

magnesium can generate dangerous levels of hydrogen gas.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper sulfate pentahydrate	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	IDLH: 100 mg/m <sup>3</sup> Cu dust and
7758-99-8			mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist

#### **Appropriate Engineering Controls**

Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits. Eyewash stations. Showers.

#### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear long-sleeved shirt, long pants, and shoes plus socks. Wear waterproof gloves.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with product's concentrate. Do not reuse them. Keep and wash PPE

separately from other laundry.

Respiratory Protection If necessary, wear an approved respirator for dusts or mists: MSHA/NIOSH approved

number prefix TC-21C, or a NIOSH approved respirator with any R, P or HE filter.

Alternatively, provide respiratory protection in accordance with Paragraph 1910.134 of Title

29 of the Code of Federal Regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State Solid

Appearance Transparent blue crystals or blue Odor Odorless

powder

Color Blue Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not Applicable
Melting Point/Freezing Point 110 °C / 230 °F
Boiling Point/Boiling Range 150 °C / 302 °F

Flash Point Not determined
Evaporation Rate Not Applicable
Flammability (Solid, Gas) Not determined

Upper Flammability Limits

Lower Flammability Limit

Vapor Pressure

Vapor Density

Not determined

Not Applicable

Not Applicable

Specific Gravity 2.284 Water Solubility 22.37%

Water Solubility 22.37% @ 0 °C / 32 °F Solubility in Other Solvents Soluble in methanol, glycerol and

Solubility in Other Solvents

Soluble in methanol, glycerol and slightly soluble in ethanol

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties
Not determined

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing. Does not react with water.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children. Solutions are mildly corrosive to steel. Store in plastic or rubber or 304, 347 or 316 stainless steel.

#### **Incompatible Materials**

Aluminum powders. Acetylene. Hydroxylamine. Magnesium. Moisture. Contact with magnesium can generate dangerous levels of hydrogen gas.

## **Hazardous Decomposition Products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. If dry heated above 600° C/ 1112°F toxic sulfur may evolve.

## 11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Harmful in contact with skin.

**Inhalation** Avoid inhalation of dust.

**Ingestion** Harmful if swallowed.

\_\_\_\_\_

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Copper sulfate pentahydrate 7758-99-8	= 472 mg/kg (Rat)	> 2 g/kg (Rat)	> 2.95 mg/L (Rat)

## Information on Physical. Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

## **Numerical Measures of Toxicity**

Not determined

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Copper sulfate pentahydrate		0.66 - 1.15: 96 h Lepomis		0.147 - 0.227: 48 h Daphnia
7758-99-8		macrochirus mg/L LC50		magna mg/L EC50 Static
		semi-static 0.96 - 1.8: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 0.1478 - 0.165:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 flow-through 0.09		
		- 0.19: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		
		0.6752: 96 h Pimephales		
		promelas mg/L LC50 static		

#### Persistence and Degradability

Not determined

## **Bioaccumulation**

Not determined

## **Mobility**

Not determined

#### **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations. With prior approval the material can be returned to the manufacturer.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

.

Chemical Name	California Hazardous Waste Status
Copper sulfate pentahydrate	Toxic
7758-99-8	

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** When shipped domestically in non-bulk packages weighing less than 10 lbs., product is

NOT REGULATED for ground transportation. The following DOT description for shipping as REGULATED only applies when shipping in packages containing more than 10 lbs. of product. When this is the case, drivers are required to have Hazmat Certification.

UN/ID No UN3077

Proper Shipping Name Environmentally Hazardous Substance, solid, n.o.s. (Cupric Sulfate)

Hazard Class 9
Packing Group III
Reportable Quantity (RQ) 10 lbs

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

**Emergency Response Guide** 

Number

171

IATA

UN/ID No UN3077

Proper Shipping Name Environmentally Hazardous Substance, solid, n.o.s. (Cupric Sulfate)

Hazard Class 9
Packing Group III

**IMDG** 

UN/ID No UN3077

Proper Shipping Name Environmentally Hazardous Substance, solid, n.o.s. (Cupric Sulfate)

Hazard Class 9
Packing Group III

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

IMDG/IMO

## 15. REGULATORY INFORMATION

## International Inventories

TSCA Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## US Federal Regulations

## **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper sulfate pentahydrate	10 lbs	10 lbs	10 lbs
7758-99-8			

## SARA 311/312 Hazard Categories

Acute health hazard

Yes

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Copper sulfate pentahydrate - 7758-99-8	7758-99-8	100	1.0

## **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper sulfate pentahydrate		X		
7758-99-8 ( 100 )				

## **US State Regulations**

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Copper sulfate pentahydrate	X		X
7758-99-8			

## **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards Not determined Personal300determined PersonalHMISHealth HazardsFlammabilityPhysical HazardsProtection Not determined300determined

Issue Date02-May-2013Revision Date03-May-2013Revision NoteNew format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**